

Duct Fittings

BLAUBERG Y JUNCTIONS – PLASTIC NON INSULATED

Product Code	Product Description
BLA644	150/100/100 Y junction – non insulated
BLA666	150/150/150 Y junction – non insulated
BLA1088	250/200/200 Y junction – non insulated
BLA1288	300/200/200 Y junction – non insulated
BLA121010	300/250/250 Y junction – non insulated
BLA121212	300/300/300 Y junction – non insulated
BLA141010	350/250/250 Y junction – non insulated
BLA141210	350/300/250 Y junction – non insulated
BLA141212	350/300/300 Y junction – non insulated
BLA141410	350/350/250 Y junction – non insulated
BLA141414	350/350/350 Y junction – non insulated



BLAUBERG Y JUNCTIONS – PLASTIC INSULATED

Product Code	Product Description
BLA644INS	150/100/100 Y junction – insulated
BLA666INS	150/150/150 Y junction – insulated
BLA1088INS	250/200/200 Y junction – insulated
BLA1288YINS	300/200/200 Y junction – insulated
BLA121010YINS	300/250/250 Y junction – insulated
BLA121212INS	300/300/300 Y junction – insulated
BLA141010YINS	350/250/250 Y junction – insulated
BLA141210INS	350/300/250 Y junction – insulated
BLA141212INS	350/300/300 Y junction – insulated
BLA141410YINS	350/350/250 Y junction – insulated
BLA141414INS	350/350/350 Y junction – insulated

BLAUBERG SINGLE BRANCH TAKE OFF – PLASTIC NON INSULATED

Product Code	Product Description
BLA666BTO	150/150/150 Branch take off – non insulated
BLA866BTO	200/150/150 Branch take off – non insulated
BLA888BTO	200/200/200 Branch take off – non insulated
BLA101010BTO	250/250/250 Branch take off – non insulated
BLA10106BTO	250/250/150 Branch take off – non insulated
BLA10108BTO	250/250/200 Branch take off – non insulated
BLA1066BTO	250/150/150 Branch take off – non insulated
BLA1086BTO	250/200/150 Branch take off – non insulated
BLA1088BTO	250/200/200 Branch take off – non insulated
BLA121010BTO	300/250/250 Branch take off – non insulated
BLA12106BTO	300/250/150 Branch take off – non insulated
BLA12108BTO	300/250/200 Branch take off – non insulated
BLA121210BTO	300/300/250 Branch take off – non insulated
BLA12126BTO	300/300/150 Branch take off – non insulated
BLA12128BTO	300/350/200 Branch take off – non insulated
BLA1288BTO	300/200/200 Branch take off – non insulated
BLA141010BTO	350/250/250 Branch take off – non insulated
BLA141210 BTO	350/300/200 Branch take off – non insulated
BLA141212 BTO	350/300/300 Branch take off – non insulated
BLA14126 BTO	350/300/150 Branch take off – non insulated
BLA14128 BTO	350/300/200 Branch take off – non insulated
BLA141410 BTO	350/350/250 Branch take off – non insulated
BLA141412 BTO	350/350/300 Branch take off – non insulated
BLA14146 BTO	350/350/150 Branch take off – non insulated
BLA14148 BTO	350/350/200 Branch take off – non insulated



BLAUBERG SINGLE BRANCH TAKE OFF – PLASTIC INSULATED

Product Code	Product Description
BLA666BTOINS	150/150/150 Branch take off – insulated
BLA866BTOINS	200/150/150 Branch take off – insulated
BLA888BTOINS	200/200/200 Branch take off – insulated
BLA101010BTOINS	250/250/250 Branch take off – insulated
BLA10106BTOINS	250/250/150 Branch take off – insulated
BLA10108BTOINS	250/250/200 Branch take off – insulated
BLA1066BTOINS	250/150/150 Branch take off – insulated
BLA1086BTOINS	250/200/150 Branch take off – insulated
BLA1088BTOINS	250/200/200 Branch take off – insulated
BLA121010BTOINS	300/250/250 Branch take off – insulated
BLA12106BTOINS	300/250/150 Branch take off – insulated
BLA12108BTOINS	300/250/200 Branch take off – insulated
BLA121210BTOINS	300/300/250 Branch take off – insulated
BLA12126BTOINS	300/300/150 Branch take off – insulated
BLA12128BTOINS	300/350/200 Branch take off – insulated
BLA1288BTOINS	300/200/200 Branch take off – insulated
BLA141010BTOINS	350/250/250 Branch take off – insulated
BLA141210BTOINS	350/300/200 Branch take off – insulated
BLA141212BTOINS	350/300/300 Branch take off – insulated
BLA14126BTOINS	350/300/150 Branch take off – insulated
BLA14128BTOINS	350/300/200 Branch take off – insulated
BLA141410BTOINS	350/350/250 Branch take off – insulated
BLA141412BTOINS	350/350/300 Branch take off – insulated
BLA14146BTOINS	350/350/150 Branch take off – insulated
BLA14148BTOINS	350/350/200 Branch take off – insulated

BLAUBERG DOUBLE BRANCH TAKE OFF – PLASTIC NON INSULATED

Product Code	Product Description
BLA8666BTO	200/150/150/150 Double branch take off – non insulated
BLA8886BTO	200/200/150/150 Double branch take off – non insulated
BLA101066BTO	250/250/150/150 Double branch take off – non insulated
BLA101086BTO	250/250/200/150 Double branch take off – non insulated
BLA101088BTO	250/250/200/200 Double branch take off – non insulated
BLA10666BTO	250/150/150/150 Double branch take off – non insulated
BLA10886BTO	250/200/200/150 Double branch take off – non insulated
BLA10888BTO	250/200/200/200 Double branch take off – non insulated
BLA12101010BTO	300/200/200/200 Double branch take off – non insulated
BLA121066BTO	300/250/150/150 Double branch take off – non insulated
BLA121086BTO	300/250/200/150 Double branch take off – non insulated
BLA121088BTO	300/250/200/200 Double branch take off – non insulated
BLA12121010BTO	300/300/250/250 Double branch take off – non insulated
BLA121266BTO	300/300/150/150 Double branch take off – non insulated
BLA121286BTO	300/300/200/150 Double branch take off – non insulated
BLA121288BTO	300/300/200/200 Double branch take off – non insulated
BLA12866BTO	300/200/150/150 Double branch take off – non insulated
BLA12886 BTO	300/200/200/150 Double branch take off – non insulated
BLA12888BTO	300/200/200/200 Double branch take off – non insulated
BLA14101010BTO	350/250/250/250 Double branch take off – non insulated
BLA14121010BTO	350/300/250/250 Double branch take off – non insulated
BLA14121212BTO	350/300/300/300 Double branch take off – non insulated
BLA141266BTO	350/300/150/150 Double branch take off – non insulated
BLA141286BTO	350/300/200/150 Double branch take off – non insulated
BLA141288BTO	350/300/200/200 Double branch take off – non insulated
BLA14141010BTO	350/350/250/250 Double branch take off – non insulated
BLA14141212BTO	350/350/300/300 Double branch take off – non insulated
BLA141466BTO	350/350/150/150 Double branch take off – non insulated
BLA141486BTO	350/350/200/150 Double branch take off – non insulated
BLA141488BTO	350/350/200/200 Double branch take off – non insulated



BLAUBERG DOUBLE BRANCH TAKE OFF – PLASTIC INSULATED

Product Code	Product Description
BLA8666BTOINS	200/150/150/150 Double branch take off – insulated
BLA8866BTOINS	200/200/150/150 Double branch take off – insulated
BLA101066BTOINS	250/250/150/150 Double branch take off – insulated
BLA101086BTOINS	250/250/200/150 Double branch take off – insulated
BLA101088BTOINS	250/250/200/200 Double branch take off – insulated
BLA10666BTOINS	250/150/150/150 Double branch take off – insulated
BLA10886BTOINS	250/200/200/150 Double branch take off – insulated
BLA10888BTOINS	250/200/200/200 Double branch take off – insulated
BLA12101010BTOINS	300/200/200/200 Double branch take off – insulated
BLA121066BTOINS	300/250/150/150 Double branch take off – insulated
BLA121086BTOINS	300/250/200/150 Double branch take off – insulated
BLA121088BTOINS	300/250/200/200 Double branch take off – insulated
BLA12121010BTOINS	300/300/250/250 Double branch take off – insulated
BLA121266BTOINS	300/300/150/150 Double branch take off – insulated
BLA121286BTOINS	300/300/200/150 Double branch take off – insulated
BLA121288BTOINS	300/300/200/200 Double branch take off – insulated
BLA12866BTOINS	300/200/150/150 Double branch take off – insulated
BLA12886BTOINS	300/200/200/150 Double branch take off – insulated
BLA12888BTOINS	300/200/200/200 Double branch take off – insulated
BLA14101010BTOINS	350/250/250/250 Double branch take off – insulated
BLA14121010BTOINS	350/300/250/250 Double branch take off – insulated
BLA14121212BTOINS	350/300/300/300 Double branch take off – insulated
BLA141266BTOINS	350/300/150/150 Double branch take off – insulated
BLA141286BTOINS	350/300/200/150 Double branch take off – insulated
BLA141288BTOINS	350/300/200/200 Double branch take off – insulated
BLA14141010BTOINS	350/350/250/250 Double branch take off – insulated
BLA14141212BTOINS	350/350/300/300 Double branch take off – insulated
BLA141466BTOINS	350/350/150/150 Double branch take off – insulated
BLA141486BTOINS	350/350/200/150 Double branch take off – insulated
BLA141488BTOINS	350/350/200/200 Double branch take off – insulated

BLAUBERG DUCT REDUCERS – PLASTIC NON INSULATED

Product Code	Product Description
BLA125100R	125/100 Reducer – non insulated
BLA150100R	150/100 Reducer – non insulated
BLA150125R	150/125 Reducer – non insulated
BLA200150R	200/150 Reducer – non insulated
BLA250200R	250/200 Reducer – non insulated
BLA300250R	300/250 Reducer – non insulated
BLA350300R	350/300 Reducer – non insulated



BLAUBERG MANUAL BALANCING DAMPERS

- o Product Description
 - Inline galvanised manual inline duct damper
- o Features
 - Adjustment on the exterior of the damper for airflow

Product Code	Product Description
BLABDMA150	150 mm Manual Balancing Damper
BLABDMA200	200 mm Manual Balancing Damper
BLABDMA250	250 mm Manual Balancing Damper
BLABDMA350	300 mm Manual Balancing Damper
BLABDMA400	400 mm Manual Balancing Damper
BLABDMA450	450 mm Manual Balancing Damper



BLAUBERG BACKDRAFT DAMPERS

- o Product Description
 - Inline galvanised backdraft damper
- o Features
 - For the prevention of air movement in the duct when a fan is not operating

Product Code	Product Description
BLABACKDRAFT100	100 mm Backdraft Damper – Metal
BLABACKDRAFT125	125 mm Backdraft Damper – Metal
BLABACKDRAFT150	150 mm Backdraft Damper – Metal
BLABACKDRAFT200	200 mm Backdraft Damper – Metal
BLABACKDRAFT250	250 mm Backdraft Damper – Metal
BLABACKDRAFT315	315 mm Backdraft Damper – Metal



- o Product Description
 - Inline plastic backdraft damper
- o Features
 - For the prevention of air movement in the duct when a fan is not operating. For use with 100 mm to 150 mm fans with low pressure curves (Pa).

Product Code	Product Description
BLABBACKDRAFT100	100 mm Backdraft Damper – Plastic
BLABBACKDRAFT125	100 mm Backdraft Damper – Plastic
BLABBACKDRAFT150	150 mm Backdraft Damper – Plastic



BLAUBERG JOINING COLLARS

- o Product Description
 - Inline plastic/metal duct joining collar for joining two lengths of ducting together

Product Code	Product Description
BLADUCTJOINER100	100 mm duct Joiner – Plastic
BLADUCTJOINER125	125 mm duct Joiner – Plastic
BLADUCTJOINER150	150 mm duct Joiner – Plastic
BLADUCTJOINER200	200 mm duct Joiner – Metal
BLADUCTJOINER250	250 mm duct Joiner – Metal
BLADUCTJOINER300	300 mm duct Joiner – Metal
BLADUCTJOINER350	350 mm duct Joiner – Metal
BLADUCTJOINER350	350 mm duct Joiner – Metal
BLADUCTJOINER400	400 mm duct Joiner – Metal
BLADUCTJOINER450	450 mm duct Joiner – Metal

